





## KORAL LINE K830E

| ТҮРЕ   | Lavapiatti porta frontale |
|--------|---------------------------|
| LINE   | KORAL LINE                |
| BASKET | 500x600                   |
| SIZE   | 585x740x865h              |

The K830E model is the solution for restaurateurs who must wash a large number of dishes (max 22/basket), baking trays and trays with reduced space, with guarantee of a maximum productivity of 40 baskets/hour (880 dishes/hour). In fact, thanks to the dedicated basket, you can wash GN 1/1 65 mm high baking trays, 600x400 dough trays and cake trays, while maintaining the measurements of a comfortable undercounter dishwasher. The drain pump optional allows you to handle the drain automatically and perform a partial replacement of clean water at each wash cycle.

The electronic control allows you to manage various parameters to give you an absolute customisation level and the continuous self-diagnosis allows you to minimise machine downtime, suggesting some operations to be verified. The self-cleaning cycle at the end of the day cleans the wash tank and empties the boiler from the hot water, preventing limestone forming inside. The standard double peristaltic electric rinse-aid and detergent dispenser ensures the best result from each wash cycle with great savings thanks to the precise dosage managed by the electronic card; whereas, the moulded washing and rinsing arms ensure great reliability and durability. The Thermo-stop function checks that washing and rinsing begin only when the desired temperature is reached. The bodywork is made entirely of AISI 304 steel and has been designed with all components in the front to allow easy technical assistance. Sturdy and reliable dishwashers to best deal with every moment of your day.



The KORAL line is distinguished by its wide range of models suitable for any situation. Through the electronic card, the control system provides great customisation options based on your needs, allowing you to accurately adjust any parameter and ensure optimum washing results. The tempered glass UNIKO-MID lcd-touch display is extremely reliable and ensures optimum performance. Selecting one of the 4 wash cycles available is really simple and practical messages on the display will allow preserving the dishwasher life.





| DISHWASHERS FEATURES   | KORAL LINE K830E |
|--|------------------|
| Dimensions - (mm) L - P - H                                  | 585x740x865h     |
| n° baskets/hour - (+55°C)                                    | Max 40           |
| Height glass max   | 340mm            |
| Ø height plate max   | 370mm            |
| Height pot max   | 340mm            |
| Trays  | GN1/1 – 60x40    |
| Rinsing and washing arms                                     | Ø18 INOX         |
| Tank heating element - Tank capacity                         | 2,6kW – 26lt     |
| Boiler heating element - Boiler capacity                     | 4,5kW – 12lt     |
| Washing pump (kW-Hp)   | 0,52kW / 0,7Hp   |
| Total power input / Current                                  | 5,02kW / 16A     |
| Standard input voltage                                       | 400V3N+T 50Hz    |
| Recommended inlet water temperature                          | +55°C            |
| Water hardness   | 7÷10 °f          |
| Water consumption per cycle (inlet suggested pressure 2 BAR) | 2,0lt GUARANTEED |
| Adjustable detergent and rinse-aid dispenser                 | ELECTRIC         |
| STANDARD EQUIPMENT   |                  |
| Cutlery insert   | 2                |
| Basket for trays 10/12 compartments 500x600x100mm            | 1                |
| Basket for glasses dim.500x600x100mm                         | 1                |
| Basket for 22 dishes dim.500x600x100mm                       | 1                |
| ACCESSORIES  |                  |
| UniKo touch display with iKloud Wi-Fi control                | $\checkmark$     |
| Input voltage 230V/3+T                                       | $\checkmark$     |
| Booster pump kit 0,5Hp                                       | $\checkmark$     |
| Drain pump kit 40W   | $\checkmark$     |
| Built-in drain pump 190W                                     | -                |
| Boiler heating element 4,5kW                                 | -                |
| Boiler heating element 5,4kW                                 | $\checkmark$     |
| Boiler heating element 9kW                                   | $\checkmark$     |
| Thermo/acoustic insulation double wall kit and upper cover   | -                |
| Stainless steel tank filter kit for rack dishwasher 500x500  | -                |
| Reverse osmosis system                                       | -                |
| Modular basket for wine glasses 500mm                        | $\checkmark$     |
| Basket for trays with 4 compartments dim.500x500x200mm       | $\checkmark$     |
| Inclined basket for wine glasses dim.400x400x170mm           | -                |
| Inclined basket for wine glasses dim.450x450x170mm           | -                |
| Inclined basket for wine glasses dim.500x500x170mm           | $\checkmark$     |
| Insert 13 plates   | -                |
| Kit 4 Stainless steel feet 50-70mm                           | $\checkmark$     |
| Remote control with LCD display                              | -                |
| 2 baskets for glasses Ø350mm                                 | -                |
| 2 baskets for glasses Ø400mm                                 | -                |
|  |                  |









## K830E





